


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

DIVISION OF BOTANY
SEP 26 1901

62,57 1902

*** 1901 == 02 ***



The Bellevue Nursery

...TRADE LIST OF...

American Plants *and* Shrubs



MERTENSIA VIRGINICA

COLLECTED AND GROWN BY

Wm. F. Bassett & Son

Hammonton, New Jersey, U. S. A.

Terms and Remarks

Our Terms are net cash, and are for the quantities named, except that 5, 50 and 500 will be furnished at the ten, hundred and thousand rates respectively. Parties not known by us to be responsible and reliable will be expected to send cash with order or good references.

Shipping Facilities. Our nurseries are within thirty miles of Philadelphia (two railroads) and 100 miles from New York, and freight rates very low.

Mailing Plants. Small orders will be filled by mail, when so requested, where the size of the plant will permit; but postage will be added to all bills so forwarded.

Collected Plants. This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware and Maryland, and we also have arrangements with special collectors in the New England and other States. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" *pulled up* by irresponsible parties at so much per thousand. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility farther than to ship them in good order.

Transplanting Stock. To meet the wants of an increasing list of customers, we have, for several years, been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds and growing them under culture for one or more years.

Packing, which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

To Our European Friends

We have a good list of European Customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that fall orders are much more desirable as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

Novelties and Specialties

Amelanchier Rotundifolium

We have found this so much superior to *Amelanchier Canadensis* in every respect that we unhesitatingly recommend it. Its style of growth is more compact, the foliage is more dense, and of a richer, darker green, turning to rich shades of crimson and gold in Autumn, and the strain we offer produces, in great abundance, berries which are much larger, less seedy, and of better flavor than any other June Berry. For cooking, when used with pie cherries, equal quantities of each, they make better pies and puddings than cherries alone.

Pyrus Brilliantissima

It is not necessary to say to those who are familiar with the common *Pyrus arbutifolia* that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our *Brilliantissima* has been propagated from a few plants we found which produced bright scarlet berries and retain their bright color until late in the Winter. This is so decidedly superior to the ordinary form that the little difference in first cost is not worth considering. Our stock of this is unusually fine.

Hibiscus Crimson Eye

This, the finest of all the hardy *Hibiscus*, was introduced by us and has been steadily gaining in popularity, and our sales of it increase largely every year. We also introduced the *Rose Pink Hibiscus*, and we are among the very few who offer *Hibiscus militaris*, both fine varieties.

Special attention is called to our stock of large and fine plants of *Andromeda Arborea*, *Chionanthus Virginica*, *Cornus sericea*, *Cornus stolonifera*, *Spiraea tomentosa*, and *Spiraea tomentosa alba*, and to the very low price of our *Symphoricarpus vulgaris*.

Plants not in this list

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of *Eupatorium*, twenty varieties of *Aster*, eighteen varieties of *Solidago*, and many others.

Dahlias

Our stock of Dahlias include the best standard varieties and the cream of the newer sorts, about two hundred varieties. Prices will be quoted on application.

Seeds

We collect American tree and shrub seeds *on orders only*. Prices quoted on application.

Large Plants

We make a specialty of large plants, collected with ball of earth, in carload lots. In this list may be mentioned *Ilex glabra*, *Ilex Opaca*, *Kalmia latifolia*, *Azalea viscosa*, *Vaccinium corymbosum*, *Viburnum casinoides*, etc. These are unusually fine specimens of each variety, ranging in size from one to six feet, according to variety. *Special prices on carload lots.*

GENERAL LIST OF
HARDY PERENNIALS.

	Each	10	100	1,000
	\$0 15	\$0 .50	\$	\$
<i>Achillea filipendula</i>	15	.50	3.00	25.00
“ <i>millefolium roseum</i>	10	.40	2.50	20.00
“ <i>The Pearl</i>	10	.50	4.00	
“ <i>tomentosa</i>	15	.50	1.50	10.00
<i>Acorus calamus</i> , collected	10	.60	3.00	25.00
<i>Adiantum pedatum</i>	10	.50	1.80	12.00
<i>Aletris farinosa</i> , collected	10	.50	5.00	
<i>Alyssum saxatile</i>	10	.50	2.00	15.00
<i>Andropogon macrourus</i> , collected	20	.75	5.00	
<i>Anemone Pennsylvanica</i>	15	.60	3.00	
“ “ collected	15	.60	3.00	
“ <i>nemorosa</i> , collected	15	.60	3.00	
<i>Anemonella thalictroides</i> , collected	20	1.00		
<i>Anthemis Kelwayii</i>	10	.30	1.00	8.00
<i>Apios tuberosa</i>	15	.75		
<i>Aquilegia Canadensis</i>	25	.75	4.00	
“ “ collected	25	.75	4.00	
“ <i>cœrulea hybrida</i>	20	.70	3.00	25.00
<i>Aralia hispida</i>	20	.80	4.00	
<i>Arenaria squarrosa</i> , collected	10	.50	2.00	15.00
<i>Arisaema Dracontium</i> , collected	15	.50	4.00	
“ <i>triphillum</i> , collected	10	.50	4.00	
<i>Asarum Canadense</i>	10	.50	2.50	20.00
<i>Asclepias incarnata</i> , collected	10	.50	2.50	20.00
“ “ <i>pulchra</i> , collected	20	.80		
“ <i>obtusifolia</i> , collected	20	1.00	6.00	40.00
“ <i>rubra</i>	10	.50	2.00	10.00
“ <i>tuberosa</i> , collected	10	.50	2.00	10.00
<i>Aspidium acrostichoides</i>	30	1.25		
“ <i>aculeatum</i> var. <i>Braunii</i> , collected	20	.70	4.00	
“ <i>cristatum</i> , collected	25	1.25		
“ <i>goldianum</i>	10	.50	2.00	10.00
“ <i>marginale</i> , collected	10	.50	2.00	10.00
“ <i>novaboracensis</i> , collected	15	.75	3.00	25.00
“ <i>spinulosum</i> , collected	10	.50	2.00	10.00
“ <i>thelypteris</i> , collected	10	.50	2.00	15.00
<i>Asplenium ebeneum</i> , collected	15	.60	3.00	
“ <i>trichomanes</i> , collected	15	.75	5.00	
<i>Aster concolor</i> , collected	25			
“ <i>grandiflorus</i>	10	.50	1.50	12.00
“ <i>linariifolius</i> , collected				

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
Aster longifolius, collected	15	.75		
“ memorialis, collected	20	.80	5.00	
“ Nova Anglae	15	.60	3 50	
“ patens, collected	10	.50	2 00	15.00
“ puniceus	20	.75		
“ spectabilis, collected	10	.50	2 50	20 00
“ tradescantii, collected	10	.40	2.50	20 00
“ tartaricus	15	.75	3.00	
Baptisia tinctoria, collected	25	1.00	3 00	
Boltonia asteroides	15	.75		
“ glastifolia	25	1.00		
“ latisquamae	15	.75	3.50	
Botrychium Virginicum, collected	20	.60	4.00	
Brasenia peltata, collected	10	.50	2.00	15.00
Breweria Pickeringii, collected	25	1.00	6.00	
Calamagrostis brevipilis, collected	25	1.00	5.00	
“ nuttaliana, collected	25	1.00	6.00	
Calla palustris, collected	15	.75	4.00	
Callirhoe involucrata	15	.60	4 00	
Calopogon pulchellus, collected	15	.60	4.00	
Caltha palustris, collected	15	.60	3 00	25 00
Camptosorus rhizophyllus, collected	15	.50	2.50	
Cassia Marylandica	15	.60	3.00	
Centrosema Virginica (root cuttings)25	.80	7.50
“ “ White Lady (root cuttings)50	1 50	10.00
Chelone glabra, collected	10	.50	3 00	
Chimaphila maculata, collected	15	.60	3.00	
“ umbellata, collected	15	.75	4 00	
Chrysopsis falcata, collected	20	.50	3.00	10.00
“ Mariana, collected	10	.50	2.50	15.00
Cimcifuga racemosa, collected	15	.60	3 00	20.00
Claytonia Virginica, collected	15	.60	2.00	15.00
Clintonia borealis, collected	15	.60	3.00	
Coreopsis auriculata	10	.50	1.50	
“ grand. (Harvest Moon)	15	.75	5 00	
“ lanceolata	10	.50	2.00	15 00
“ rosea	15			
Cunilla Mariana, collected	20	.60	3 00	
Cypripedium acaule, collected	15	.75	4.00	
“ pubescens, collected	25	1.25	8 00	
“ spectabile	50	3.00	15.00	
Dentaria laciniata, collected	15	.60	3.00	
Dicentra Canadensis, collected	15	.75	2.50	15.00
“ cucullaria, collected	15	.60	2.00	15.00
Dicksonia pilosiuscula	15	.60	2.00	10.00
Dioscorea villosa, collected	25	1.50		
Dracocephalum Virginicum	10	.50	2.00	
Drosera filiformis, collected	15	.60	1.50	10.00
“ intermedia	15	.60	3.00	

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
<i>Elodes Virginica</i> , collected	15	.60	3.00	15.00
<i>Epilobium angustifolium</i> , collected	15	.75		
<i>Erianthus alopecuroides</i> , collected	15	.60	3.00	25.00
<i>Eriocaulon gnaphalodes</i> , collected	15	.60	1.50	
" <i>decangulare</i> , collected	15	.60	2.00	
<i>Eriophorum Virginicum</i> , collected	15	.75	5.00	
<i>Eryngium amethystinum</i>	25	1.00		
" <i>planum</i>	25	1.00		
" <i>Virginicum</i>	15	.75	3.00	25.00
<i>Erythronium Americanum</i> , collected	15	.60	2.50	15.00
<i>Eulalia gracillima</i>	10	.50	2.00	18.00
" <i>Japonica zebrina</i>	15	.60	2.50	18.00
<i>Eupatorium ageratoides</i> , collected	15	.60	3.00	20.00
" <i>aromaticum</i> , collected	20	.75	4.00	
" <i>cœlestinum</i>	20	1.00	5.00	
" <i>purpureum</i> , collected	15	.60	2.00	18.00
<i>Euphorbia corollata</i>	15	.50	3.00	20.00
" <i>ipecacuanhæ</i> , collected	10	.50	2.00	15.00
<i>Funkia lancifolia</i>	15	.60	3.00	
" <i>subcordata</i>	25	1.00		
" <i>Sieboldii</i>	25	2.00		
" <i>Thos. Hogg</i>	25	1.25	8.00	
<i>Gaillardia grandiflora</i>	20	1.00	5.00	
<i>Galactea glabella</i>	20	.80	5.00	
<i>Gentiana Andrewsii</i> , collected	25	1.25	6.00	
" <i>angustifolia</i> , collected	25	1.50		
" <i>saponaria</i> , collected	25	1.00	6.00	
<i>Geranium maculatum</i> , collected	15	.60	2.50	
" <i>sanguineum</i>	15	.80	5.00	
<i>Gerardia flava</i> , collected	20	.60	3.00	
" <i>quercifolia</i> , collected	25	2.50		
<i>Gillenia trifoliata</i> , collected	25	1.00		
<i>Goodyera pubescens</i>	30	1.00	5.00	
<i>Gratiola aurea</i> , collected	15	.60	3.00	
<i>Gypsophyla repens</i>	25	1.50		
<i>Habenaria blephariglottis</i> , collected	15	.70	4.00	
" <i>ciliaris</i> , collected	15	.75	5.00	
<i>Helenium autumnale</i> , collected	15	.60	2.00	15.00
" " <i>superba</i>	15	.60	3.50	30.00
" <i>Boulanderi</i>	25	1.00		
" <i>grandicephalum striatum</i>	15	.60	4.00	35.00
" <i>pumilum</i>	25	1.50		
<i>Helianthus angustifolius</i> , collected	15	.60	3.00	20.00
" <i>decapetalus</i>	20	.75		
" <i>divaricatus</i> , collected	15	.60	2.00	15.00
" <i>giganteus</i>	15	.60	3.00	
" <i>lætiflorus</i>	10	.50	2.00	10.00
" <i>Maximilliani</i>	20	.80	5.00	
" <i>mollis</i>	20	.75		
" <i>orgyalis</i>	10	.50	3.50	25.00
" <i>strumosus</i>	10	.50	3.00	

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
<i>Heliopsis Pitcheriana</i>	25	1.00		
<i>Helonias bullata</i> , collected	20	.85	4.00	30.00
<i>Hemerocallis Dumortieri</i>	15	.60	4.00	35.00
" <i>flava</i>	20	.75	4.00	
" <i>fulva</i>	10	.60	2.00	1.500
" <i>Kwanso plena</i>	25			
" <i>Thunbergii</i>	20	.75	5.00	
<i>Hepatica acutiloba</i> , collected	15	.60	3.00	20.00
" <i>triloba</i> , collected	15	.60	3.00	20.00
<i>Heuchera Americana</i> , collected	15	.50	2.00	15.00
<i>Hibiscus moscheutos</i>	15	.60	3.00	20.00
" " <i>Crimson Eye</i>	15	.60	2.50	18.00
" " <i>Rose Pink</i>	15	.60	3.00	20.00
" <i>militaris</i>	15	.80	5.00	
<i>Houstonia cœrulea</i> , collected	15	.50	3.00	
<i>Hymenocallis Galvestonensis</i> (Hardy Spider Lily)	25	1.00	6.00	
<i>Hypericum angulosum</i> , collected	15	.60	3.00	
" <i>ascyron</i>	25			
<i>Iberis sempervirens</i>	20	1.00	5.00	
" " <i>superba</i>	25	1.50	8.00	
<i>Ipomea pandurata</i> , collected	25	1.00	6.00	
<i>Iris Germanica</i> in special colors	15	1.00	4.00	
" <i>prismatica</i> , collected	15	.60	2.00	15.00
" <i>pumila</i>	15	.60	2.50	
" <i>Siberica</i>	15	1.00	5.00	
" " <i>alba</i>	25			
" <i>versicolor</i> , collected	15	.60	1.50	12.00
<i>Kosteletzkia Virginica</i> (1 year)	15	.75	5.00	
" " (2 year)	25	1.00		
<i>Lacnanthes tinctoria</i>	10	.50	2.00	15.00
<i>Liatris graminifolia</i> , collected	10	.50	2.00	15.00
" <i>punctata</i>	20	.75		
" <i>pychnostachia</i>	25	1.25		
" <i>scariosa</i>	20	.75		
" <i>spicata</i>	20	.75	2.50	
<i>Lilium Philadelphicum</i> , collected	25	.80		
" <i>superbum</i>	20	.60	3.50	30.00
<i>Liparis liliifolia</i>	25	1.25	8.00	
<i>Lobelia cardinalis</i> , collected	20	.60	2.50	15.00
" <i>syphilitica</i> , collected	25	.80	4.00	
<i>Lophiola aurea</i> , collected	25	.60	3.00	25.00
<i>Ludwigia hirtella</i> , collected	30	1.25		
<i>Lupinus perennis</i>	15	.60	4.00	
<i>Limnanthemum lacunosum</i> , collected	25	1.00	6.00	
<i>Lysimachia ciliata</i>	15	.60	3.00	
" <i>clethroides</i>	15	.60	4.00	
" <i>nummularia</i>	15	.60	2.00	
" <i>punctata</i>	15	.60	3.00	
" <i>quadrifolia</i> , collected	15	.60	2.50	

All plants in this list are nursery-grown unless otherwise specified.


	Each	10	100	1,000
<i>Lysimachia stricta</i>15	.60	2.00	
<i>Lythrum salicaria superba</i>15	.80	5.00	45.00
<i>Mertensia Virginica</i> , collected20	.75	3.50	25.00
<i>Mikania scandens</i> , collected25	1.00	5.00	
<i>Mitchella repens</i> , collected10	.50	1.50	12.00
<i>Monarda didyma coccinea</i>15	1.00	5.00	
“ <i>purpurea</i>15	1.00	5.00	
<i>Narthecium Americanum</i> , collected30	1.50	5.00	
<i>Nepeta glechoma</i>10	.50	2.00	
<i>Nesaea verticillata</i> , collected25	1.00	5.00	
<i>Nuphar advena</i> , collected25	1.00	6.00	
<i>Nymphæa odorata</i> , collected25	.75	3.00	
“ “ <i>minor</i> , collected25	.75	3.00	
<i>Oenothera fruticosa</i> , collected15	.60	2.00	18.00
<i>Onoclea sensibilis</i> , collected15	.50	2.00	10.00
“ <i>struthiopteris</i> , collected15	.70	4.00	
<i>Opuntia Raffinesquii</i>15	.60	2.00	15.00
<i>Orontium Aquaticum</i> , collected20	.90	6.00	45.00
<i>Osmunda cinnamomea</i> , collected20	1.00	6.00	35.00
“ <i>Claytoniana</i> , collected20	.85	4.00	35.00
“ <i>gracilis</i> , collected25	1.00	6.00	40.00
“ <i>regalis</i> , collected20	1.00	6.00	40.00
<i>Oxalis violacea</i> , collected15	.60	3.00	
<i>Pancratium Carribœmn</i>25	1.00	6.00	
<i>Panicum virgatum</i> , collected15	.60	2.00	15.00
<i>Pardanthus Chinensis</i>10	.50	2.00	15.00
<i>Pentstemon barbatus Torreyi</i>20	.75	4.50	
“ <i>digitalis</i>20	1.00	5.00	
“ <i>pubescens</i>15	.60	2.50	20.00
<i>Peltandra Virginica</i> , collected30	1.50	8.00	60.00
<i>Phegopteris dryopteris</i>15	.60		
“ <i>hexagonoptera</i>15	.60	3.00	
“ <i>polypodioides</i>15	.60		
<i>Phlox divaricata</i> , collected20	.75	3.00	25.00
“ <i>maculata</i> , collected20	.75	3.50	
“ <i>subulata</i>15	.60	2.50	
“ “ <i>alba</i>15	.60	2.50	
“ <i>The Pearl</i>25			
<i>Phragmites communis</i> , collected30	1.50	7.50	50.00
<i>Plumbago larpentæ</i>15	.60	4.00	
<i>Platycodon grandiflorum</i>25			
“ “ <i>album</i>25	1.50		
<i>Podophyllum peltatum</i> , collected15	.60	2.00	15.00
<i>Pogonia ophioglossoides</i> , collected20	.75	3.00	
<i>Polypodium vulgare</i>15	.60	2.00	10.00
<i>Pontederia cordata</i> , collected20	.75	4.00	30.00
<i>Pteris aquilina</i> , collected15	.50	2.00	10.00
<i>Pycnanthemum linifolium</i>10	.50		
<i>Pyrola chlorantha</i> , collected15	.60	2.00	
“ <i>eliptica</i> , collected15	.60	2.00	

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
<i>Pyrola rotundifolia</i> , collected15	.60	2.00	
<i>Pyxidantha barbulata</i> , collected20	.75	3.00	25 00
<i>Rudbeckia fulgida</i>20	.80	5.00	
" <i>hirta</i> , collected15	.60	2.50	20.00
" <i>laciniata</i>15	.60	3.00	25.00
" " fl. pl. (Golden Glow)10	.50	3.50	20.00
" <i>nitida</i>15	.60	3.00	
" <i>speciosa</i>15	.80	5 00	
<i>Sabbatia chloroides</i> , collected25	.75	4.00	35.00
" <i>lanceolata</i> , collected15	.60	3.00	25.00
<i>Salvia lyrata</i>10	.50	2.00	15.00
<i>Sanguinaria Canadensis</i>15	.60	2 00	18.00
<i>Sarracenia purpurea</i> , collected25	.75	3.00	25.00
<i>Sclerolipis verticillata</i> , collected20	.75	4.00	
<i>Scirpus Eriophorum</i> , collected15	.60	3.00	
<i>Sedum acre</i>10	.50	2.00	15.00
" <i>spectabile</i>15	1.00	5.00	
" <i>ternatum</i>15	.60	2.00	15.00
<i>Silene Pennsylvanica</i>20	.75	5.00	
" <i>stellata</i>15	.60	3.00	
<i>Schizæa Pusilla</i>50	2.00		
<i>Smilacina bifolia</i> , collected20	.75	3.00	25 00
" <i>racemosa</i> , collected20	.75	3.00	25.00
<i>Solidago altissimum</i> , collected15	.60	2.50	
" <i>cæsia</i> , collected15	.50		
" <i>Canadensis</i> , collected15	.60	2.50	
" <i>juncea</i> , collected15	.50		
" <i>lanceolata</i> , collected10	.50	2.00	15.00
" <i>nemoralis</i> , collected15	.60	2.00	15 00
" <i>odora</i> , collected10	.50	2.00	15.00
" <i>puberula</i> , collected15	.60	2.50	
" <i>sempervirens</i>10	.60	2.50	20 00
" <i>tenuifolia</i> , collected10	.50	2 00	15.00
" <i>virgata</i> , collected20	.75	3.00	25 00
<i>Statice latifolia</i>25			
<i>Tephrosia Virginica</i> , collected15	.60	2 00	18.00
<i>Thalictrum cornuti</i> , collected20	.75	3.00	25.00
" <i>dioicum</i> , collected20	.75	3.50	30 00
<i>Tradescantia Virginica</i>15	.60	2.50	20 00
" " <i>alba</i>20	.75	3.50	
" " fl. pl.25	1.00		
<i>Trillium erectum</i> , collected15	.60	3.00	
" " <i>album</i> , collected20	.75	4 00	
" <i>grandiflorum</i>15	.50	2.50	15.00
" " <i>roseum</i>20	.75	5.00	
<i>Typha angustifolia</i> , collected15	.60	2.00	15.00
" <i>latifolia</i> , collected15	.60	2.00	15.00
<i>Vernonia hybrida</i>15	1.25		
" <i>novaboracensis</i> , collected20	.80	4.00	35.00
<i>Veronica cercæoides</i>15	.75	3.00	

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
Veronica officinalis15	.50	2.00	18.00
Viola cornuti25	1.00		
“ “ alba25	1.00		
“ cucullata10	.50	1.50	10.00
“ pedata, collected15	.50	1.50	10.00
“ “ bicolor25	1.00	7.50	
“ primulæfolia, collected20	.75	2.50	
Water Hyacinth15	.50	3.00	
Woodwardia angustifolia, collected15	.60	2.50	20.00
“ Virginica, collected15	.60	2.00	15.00
Xerophyllum asphodeloides, collected15	.60	2.00	15.00
“ “ (in strong clumps), collected25	1.50		
Yucca filamentosa20	.70	3.50	30.00
“ “ (heavy plants)25	1.50	7.00	
“ “ (seedlings 1 yr. trans.)10	.40	1.50	10.00



TRILLIUM GRANDIFLORUM.

Trees, Shrubs and Woody Climbers.

	Each	10	100	1,000
<i>Acer dasycarpum</i> , 4 to 6 ft.	\$.15	\$1.25		
“ <i>Platanoides</i> , 6 to 12 ft.30	2.50		
“ “ 3 to 6 ft.20	1.50	\$10.00	
“ “ 1 to 3 ft.10	.50	2.50	
“ “ seedlings, 4-6 in.		.25	1.00	
“ <i>Pennsylvanicum</i> , 1 to 2 ft.20	.80	4.00	
“ <i>rubrum</i> , 4 to 6 ft.25	1.00		
“ “ 4 to 5 ft., collected20	.80	4.00	
“ “ 3 to 4 ft., collected20	.75	3.00	
“ “ 2 to 3 ft., collected15	.50	2.50	\$15.00
“ <i>saccharinum</i> , 8 to 12 ft.40	3.50		
“ “ 5 to 8 ft.20	1.50	10.00	
“ <i>spicatum</i> , 2 to 3 ft.25	1.25	6.00	
<i>Akebia quinata</i> , 2 yrs., heavy15	.50	2.50	
“ “ 1 yr., heavy10	.40	2.00	
<i>Amelanchier Botryapium</i> , collected60	3.50	30.00
“ <i>Canadensis</i> , 1-3 ft., tran.25	1.75		
“ “ 1 yr., trans.15	.60	3.50	
“ “ collected60	3.00	
“ “ <i>rotundifolium</i> , 1 to 2 ft., trans.15	1.00	6.00	
“ <i>rotundifolium</i> , 8 to 12 in., trans.10	.80	4.00	
<i>Amorpha fruticosa</i>15	.60	2.00	
<i>Ampelopsis quinquefolia</i> , 2 yrs.15	.60	3.00	
<i>Andromeda arborea</i> , 4 to 5 ft.50	3.00		
“ “ 3 to 4 ft.35	2.00	12.00	
“ “ 2 to 3 ft.25	1.25	7.00	
“ <i>calyculata</i> , 10 to 12 in.20	.75		
“ “ collected60	2.00	15.00
“ <i>ligustrina</i> , collected60	3.00	25.00
“ <i>Mariana</i> , 1 to 2 ft.20	1.00	5.00	
“ “ 6 to 12 in.15	.75	4.00	
“ “ collected75	3.50	25.00
“ <i>polifolia</i> , 2 yrs.25	.75	4.00	
“ “ 1 yr.10	.50	3.00	
“ <i>racemosa</i> , 1 to 2 ft.15	.75	6.00	
“ “ collected60	2.50	20.00
<i>Arctostaphylos uva-ursi</i> , collected60	2.00	15.00
<i>Asimina triloba</i> , collected15	.60	3.50	30.00
<i>Ascyrum Crux-Andræ</i> , collected15	.60	2.00	
“ <i>stans</i> , collected15	.60	2.00	
<i>Azalea arborescens</i> , 2 to 3 ft.40			
“ <i>calendulacea</i> , 1 to 2 ft.35	2.00	18.00	
“ “ 6 to 12 in.25	1.00	8.00	

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
Azalea nudiflora, 1 to 2 ft.35	3.00		
“ “ 1 yr., trans.15	1.25	8.00	
“ “ collected60	3.00	25.00
“ Vaseyi, 2 to 3 ft.40			
“ viscosa, 1 to 2 ft.15	.80	7.50	
“ “ 6 to 12 in.10	.60	4.00	
“ “ collected60	3.00	25.00
“ “ 3 to 6 ft., with ball, collected	1.50	10.00		
This is an exceptionally fine, bushy lot, well budded, and can be furnished in carload lots at <i>special prices</i> .				
Baccharis halimifolia, 1½ to 3 ft. . .	.20	.80	6.00	
“ “ collected15	.75	4.00	30.00
Berberis Thunbergii, 10 to 12 in. . .	.15	.75		
“ vulgaris, 10 to 12 in.10	.40	2.00	
Betula lenta, 1 to 2 ft., trans.10	.60	5.00	
“ “ collected50	2.50	18.00
“ nigra, 5 to 6 ft., fine50	3.00	25.00	
“ “ 1½ to 3 ft.15	1.00	10.00	
“ “ collected60	3.00	20.00
“ populifolia, 10 to 12 ft.25	2.00		
“ “ collected50	1.50	10.00
Calycanthus Floridus, 3 to 4 ft.25	1.00	6.00	
Carpinus Americana, 4 to 6 ft.25	1.50		
“ “ 1 yr., trans.75	5.00	
“ “ collected50	3.50	30.00
Castanea Americana, 3 to 6 ft.25	1.50		
“ Jap., special strain, 2-4 ft.35	2.50		
Ceanothus Americanus				
“ “ collected10	.60	4.00	
Celastrus scandens10	.60	3.00	
“ “ collected50	2.00	15.00
Cephalanthus occidentalis, 2 to 3 ft. .	.15	.80	5.00	
“ “ 1 to 2 ft.10	.50	3.00	
Cercis Canadensis, 2 to 3½ ft.25	1.00		
“ “ 1 yr., trans.10	.60	6.00	
“ “ collected60	4.00	30.00
Chionanthus Virginica, 3 to 5 ft.40	2.00	10.00	75.00
“ “ 2 to 3 ft.30	1.25	6.00	50.00
“ “ 1 to 2 ft.15	.60	3.50	
Clematis Virginica15	.60	3.50	
“ “ collected50	2.50	18.00
Clethra alnifolia, 2 to 3 feet15	.80	5.00	
“ “ 1 to 2 ft.10	.50	3.00	25.00
“ “ collected50	2.00	15.00
Comptonia asplenifolia, 2 yrs., XX . .	.20	.75	6.00	
“ “ collected50	1.50	10.00
Cornus alternifolia, collected50	3.00	25.00
“ Florida, 3 to 5 ft.25	2.00		

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
<i>Cornus Florida</i> , 2 to 3 ft.15	1.00		
“ “ collected60	3.50	20.00
“ <i>mas.</i> , 3 to 4 ft.20	1.00		
“ “ 2 to 3 ft.15	.90	5.00	
“ “ 1 to 2 ft.50	3.00	
“ <i>circinata</i> , 1 to 2 ft.25	1.00		
“ “ collected60	3.50	30.00
“ <i>paniculata</i> , 1 to 3 ft.20	1.00	7.00	
“ “ collected60	3.00	25.00
“ <i>sanguinea</i> , 3 to 4 ft.20	.75		
“ <i>sericea</i> , 3 to 5 ft., XX20	.75	6.00	
“ “ collected60	2.50	20.00
“ <i>stolonifera</i> , 3 to 5 ft., fine25	1.00	5.00	
“ “ 2 to 3 ft.15	.60	3.00	
<i>Corylus Americana</i> , 2 to 3 ft.25	1.25		
“ “ 1 to 2 ft.15	.75	6.00	
“ “ collected60	3.00	20.00
<i>Crataegus parvifolia</i> , 2-3 ft., heavy30	1.75		
“ “ collected60	4.00	35.00
“ “ <i>crus-galli</i> , 3-4 ft.40	2.00		
<i>Cupressus thyoides</i> , collected50	1.50	8.00
<i>Diervilla trifida</i> , trans.15	.60	4.00	
“ “ collected60	3.00	25.00
“ <i>sessilifolia</i> , 3 to 4 ft.20	1.00		
<i>Dimorphanthus Mandschuricus</i> , 3-6ft.50	3.00		
<i>Diospyros Virginica</i> , collected20	.75	4.00	
<i>Dirca palustris</i> , 1 yr., trans.20	.75	5.00	
<i>Epigea repens</i> , col., seedli'gs, with ball25	1.00	6.00	
<i>Euonymus Americanus</i> , trans.15	.60	3.50	
“ “ collected60	2.50	20.00
“ <i>radicans</i> , strong15	.60	3.50	
“ “ <i>variegated</i>15	.75		
“ <i>Europæus</i> , 3 to 4 ft.20	1.00	4.00	
“ “ 2 to 3 ft.15	.60	3.00	
<i>Forsythia Fortunei</i> , 2 to 4 ft.15	.60	4.00	
<i>Fraxinus Americanus</i> , collected20	.75	3.00	25.00
<i>Gaultheria procumbens</i> , collected10	.40	1.50	10.00
<i>Gaylussacia Dumosa</i>15	.60	3.50	
“ “ collected60	2.50	20.00
“ <i>frondosa</i>15	.60	5.00	
“ “ collected50	3.00	25.00
“ <i>resinosa</i> , collected15	.50	2.00	15.00
<i>Gleditschia inermis</i> , 10 to 20 ft.75	5.00	40.00	
“ “ 6 to 10 ft.50	3.00	20.00	
“ “ 3 to 6 ft.15	1.00	8.00	
<i>Halesia tetraptera</i> , 4 to 6 ft.25	1.25		
<i>Hammamelis Virginica</i> , 4 to 6 ft.30	1.50		
“ “ 2 to 4 ft.20	1.00		
“ “ 1 to 2 ft.10	.50		
“ “ collected60	3.50	30.00

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
Hudsonia ericoides, collected10	.50	2.00	15.00
“ tomentosa, collected60	3.00	20.00
Hydrangea arborescens, 2 to 3 ft. . .	.15	.75	6.00	
“ “ collected60	3.00	25.00
Hypericum densiflorum, collected15	.60	1.50	10.00
Ilex glabra, 6 to 12 in., collected15	.60	3.00	20.00
“ 1 to 2 ft., with ball, col. . .	.50	3.00	17.00	
“ 2 to 3 ft., with ball, col. . .	1.00	6.00	40.00	
Ilex Opaca, 2 to 4 ft., trans.50	3.00	25.00	
“ trans., berry bearing, \$1 to \$3				
“ collected, seedlings75	4.00	35 00
“ col., 1 to 2 ft., very bushy		1.50	12.00	
Prices quoted on larger sizes on application. <i>We cut leaves from all Ilex opaca as soon as dug.</i>				
Ilex verticillata, 2-3 ft., berry-bear'g	.75	5.00		
“ collected85	4.00	30.00
Itea Virginica, 2 to 3 ft.20	.75	5.00	
“ 1 to 2 ft.15	.50	3.00	
“ collected50	2.50	
Iva frutescens, collected25	.60	3 00	25.00
Juniperis communis, collected20	.75	4.00	
“ Virginiana, collected15	.50	2.00	15.00
Kalmia angustifolia, 2 to 3 ft.25	1.50		
“ “ collected60	2.00	15.00
“ glauca, 12 to 15 in.25	1.00	6.00	
“ latifolia, 2-3 ft., trans., bushy	.50	3.00		
“ “ 6 to 12 in., collect'd		.60	2.50	15.00
“ “ 2 ft., with ball, col.40	2.50	20.00	
We have a fine lot of this grade of Kalmias, growing on land which was burned over, three years ago, which we can furnish by the thousand or carload at <i>special prices.</i>				
Kolreuteria paniculata, 1 to 2 ft. . .	.10	.50	3.00	25.00
Ledum latifolium, 12 to 15 in., bushy	.30	1.50	8.00	
Ligustrum Iboya,20	.75		
Leiophyllum buxifolium, collected . .	.15	.60	2.00	15.00
Leucothoe Catesbæii, 1 to 2 ft.15	1.00	6.00	
“ “ 6 to 12 in.10	.60	4.00	
Lindera Benzoin, 12 to 18 in.20	.80	5.00	
“ “ collected60	3.00	25.00
Liquidambar styraciflua, 6 to 12 ft.	.50	4.00		
“ “ 4 to 6 ft.35	3.00	25.00	
“ “ 2 to 4 ft.20	1.00	8.00	
“ “ collected60	2.00	15.00
Liriodendron tulipifera, 6 to 8 ft. . .	.35	2.50	18.00	
“ “ 5 to 6 ft.25	2.00	12.00	100.00
“ “ 4 to 5 ft.15	1.25	10.10	75.00
Lonicera Brachypoda, collected15	.60	3.00	25.00
“ fragrantissima, 2 to 3 ft.15	.50		

All plants in this list are nursery-grown unless otherwise specified,

	Each	10	100	1,000
<i>Lonicera Halleana</i> , 2 yrs.25	.75	3 50	25 00
<i>Lycium vulgare</i>10	.50	2.50	
<i>Magnolia glauca</i> , 1 yr., trans.15	.75		
“ “ collected15	.75	3 00	25.00
<i>Menispermum Canadense</i> , collected .	.15	.60	2.50	20.00
<i>Myrica cerifera</i> , 2 to 4 ft., bushy . .	.40	1.75	10.00	
“ “ 1 to 2 ft., bushy30	1.00	6.00	
“ “ 1 yr., trans., strong		.75	5.00	
“ “ collected, seedlings		.75	3.50	30.00
“ gale, 12 to 18 in., trans.15	.80	6 00	
“ “ collected75	3.50	30.00
<i>Nyssa multiflora</i> , trans.15	1 00		
<i>Ostrya Virginica</i> , 1 to 2 ft.25	1.25	7.50	
“ “ collected75	4.50	40.00
<i>Phelodendron amurense</i> , 4 to 6 ft. . .	.20	1.25		
<i>Photinia villosa</i> , 3 to 4 ft.30	2.50		
<i>Platanus orientalis</i> , 10 ft.40	3.00		
“ “ 5 to 10 ft.25	2.00	15.00	
“ “ 3 to 5 ft.15	1.00	8.00	
<i>Potentilla fruticosa</i> , 1 to 2 ft.15	.60	3.00	
<i>Prunus maritima</i> , collected15	.60	3 00	20.00
“ <i>pumila</i> , 1½ to 3 ft.30	1.25		
“ “ collected25	1.00	6.00	
“ <i>serotina</i> , collected15	.60	3 00	20.00
“ <i>Virginiana</i> , collected15	.60	3.00	25.00
<i>Pyrus arbutifolia</i> , 1 to 2 ft.15	.60	3 50	30.00
“ “ collected60	2 00	18.00
“ “ var. <i>Brilliantissima</i> , 2 to 3 ft., bushy25	1.75	10 00	
<i>Pyrus arbutifolia</i> var. <i>Brilliantissima</i> , 1 to 2 ft.15	1.25	7 50	
<i>Pyrus melanocarpa</i> , black-fruited . .	.15	.75	4.50	35 00
“ “ collected60	2 00	18.00
<i>Rhododendron maximum</i> , 2 yrs.25	1.50	8.00	
“ “ collected				
“ seedlings, 6 to 12 in.75	2.00	18 00
<i>Rhus aromatica</i> , 1 to 2 ft.20	1.50		
“ <i>copalina</i> , 2 to 3 ft.15	.80	4.00	
“ “ 1 to 2 ft.75	3.50	
“ “ collected50	2.00	15.00
“ <i>glabra</i> , 2 to 3 ft.15	1.00		
“ “ collected75	3 00	
“ <i>typhina</i> , collected15	.60	2.50	20.00
<i>Ribes Floridum</i>10	.80	4.00	
<i>Robinia hispida</i>15	.50	3.00	25 00
<i>Rosa blanda</i>15	.75	5.00	40 00
“ <i>Carolina</i>15	.60	3.00	
“ “ collected60	2.00	18.00
“ <i>lucida</i>15	.60	4.00	
“ “ collected50	2.50	20.00

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
<i>Rosa nitida</i>20	1.25	7.00	
“ <i>rugosa</i>20	1.25	8.00	
“ <i>setigera</i>15	1.25	7.00	
<i>Rubus Canadensis</i> , collected10	.40	1.50	10.00
“ <i>cunæifolius</i> , collected10	.40	2.00	15.00
“ <i>hispidus</i>10	.60	2.00	
“ “ collected50	1.50	7.50
“ <i>odoratus</i>20	.75	3.00	
“ “ collected50	2.00	15.00
<i>Salix Britzensis</i> , 1 yr.10	.50	3.00	
<i>Sambucus Canadensis</i> , 3 to 5 ft.20	.75	5.00	
<i>Sassafras</i> , 1 yr., trans.15	1.00	5.00	
“ collected50	3.00	25.00
<i>Smilax rotundifolia</i> , collected15	.60	3.00	25.00
“ <i>Walterii</i> , collected25	1.00	6.00	
<i>Spiræa Anthony Waterer</i> , 1 to 2 ft.25	1.75		
“ <i>opulifolia</i> , 4 to 6 ft.20	.75		
“ <i>salicifolia</i> , 2 to 3 ft.15	.60	3.50	
“ <i>tomentosa</i> , 3 to 4 ft.15	.60	2.50	20.00
“ “ collected60	2.00	15.00
“ “ <i>alba</i> , 2 to 4 ft.15	.60	3.00	
<i>Staphylea trifolia</i> , collected15	.60	3.00	25.00
<i>Stephanandra flexuosa</i>15	1.25		
<i>Symphoricarpus racemosa</i> , 2 to 3 ft.15	.60	3.50	
“ <i>Vulgaris</i> , 3 to 4 ft.15	.60	3.00	25.00
“ “ 2 to 3 ft.10	.50	2.00	20.00
<i>Syringa Persica</i>25			
<i>Tecoma radicans</i>10	.50	2.50	20.00
<i>Vaccinium corymbosum</i> , 1 to 2 ft.15	.80	5.00	
“ “ collected60	3.00	25.00
“ <i>macrocarpon</i> , collected10	.50	1.50	10.00
“ <i>Pennsylvanicum</i> , 1 yr.10	.75		
“ “ collected60	3.00	25.00
“ <i>stamineum</i> , 8 to 12 in.15	.80	6.00	
“ “ collected75	4.00	30.00
“ <i>vacillans</i> , 6 to 12 in.10	.60	4.00	
“ “ collected60	2.00	15.00
<i>Viburnum acerifolium</i> , 1 yr.15	1.00	7.50	
“ “ collected60	3.00	25.00
“ <i>cassinoides</i> , 1 yr., trans.20	.75		
“ <i>dentatum</i> , trans.25	1.50	10.00	
“ “ collected60	4.00	35.00
“ <i>nudum</i> , 1½ to 3 ft.20	.80	5.00	
“ “ collected60	3.00	25.00
“ <i>prunifolium</i> , 1 to 3 ft.30	1.25		
“ “ collected80	5.00	
“ <i>tomentosum</i> , 2 to 3 ft.30	1.25		
<i>Xanthoxylum Americanum</i>25	.80		
“ “ collect'd75	4.00	30.00
<i>Zanthoriza apiifolia</i>20	1.25		

All plants in this list are nursery-grown unless otherwise specified.


Coniferous Evergreens.

	Each	10	100	1,000
Arborvitæ American, 1 to 3 ft.10	.60		
“ Dwarf, 1 to 2 ft.25	1.50		
Balsam Fir, 5 to 10 ft.	1.25	10.00		
Blue Fir, <i>Picea concolor</i> , 1½ to 3 ft.35	2.50		
Colorado Blue Spruce, seedl's, 1-2 ft.35	2.50		
Douglas Fir, 2 to 3 ft.25	2.50		
Norway Spruce, 1 to 3 ft.15	1.00	7 00	
<i>Pinus strobus</i> , 1 to 3 ft.20	1.00		
“ <i>inops</i> , collected, seedlings75		
“ <i>mitis</i> , collected, seedlings50	3 00	
“ <i>rigida</i> , collected, seedlings50	1 50	12.00



ITEA VIRGINICA.

All plants in this list are nursery-grown unless otherwise specified.



ORONTIUM AQUATICUM